



Skipton

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.

Frequency of different “start dates”¹



Anticipated range in crop growth (kg/ha) each month from sowing on April 1 each year²





¹ Start date refers to a period of 4 consecutive weeks where pasture growth is greater than 10 kg/ha/day (i.e. 70 kg/ha/week).

² Crop could be sown dry on April 1, with growth only commencing with adequate rain.

Skipton

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.




Anticipated average crop growth (kg/ha) at end of month from sowing on April 1 each year (rounded to closest 50 kg)

Date	Wheat (kg/ha)	Barley (kg/ha)	Oats (kg/ha)
End May	300	500	1250
End June	850	1250	2600
End July	2450	3000	4950
End August	4800	5450	7800

Skipton

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.

Anticipated pasture growth³ (kg/ha) at end of month from different “start dates”⁴



³ Phalaris and sub clover

⁴ Start date refers to a period of 4 consecutive weeks where pasture growth is greater than 10 kg/ha/day (i.e. 70 kg/ha/week).




This program received funding from the Australian Government's Future Drought Fund.

Skipton

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.

Daily pasture growth rate (1970 to 2023)



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average 'X'	5	5	13	21	23	15	13	28	56	73	63	28
Highest	44	52	49	52	39	31	26	42	74	108	128	120
Lowest	0	0	0	0	3	8	3	17	20	0	2	0
Decile 2.5	0	0	2	11	16	12	9	23	51	52	37	2
Median '-'	1	2	8	21	25	15	13	29	59	83	70	10
Decile 7.5	6	7	23	31	30	17	17	32	62	95	89	45



This program received funding from the Australian Government's Future Drought Fund.