


# Warncoort

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.

## Frequency of different “start dates”<sup>1</sup>



<sup>1</sup> Start date refers to a period of 4 consecutive weeks where pasture growth is greater than 10 kg/ha/day (i.e. 70 kg/ha/week).




This program received funding from the Australian Government's Future Drought Fund.

# Warncoort

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.

## Anticipated pasture growth<sup>2</sup> (kg/ha) at end of month from different “start dates”<sup>3</sup>



<sup>2</sup> Perennial ryegrass and sub clover


<sup>3</sup> Start date refers to a period of 4 consecutive weeks where pasture growth is greater than 10 kg/ha/day (i.e. 70 kg/ha/week).



This program received funding from the Australian Government's Future Drought Fund.

# Warncoort

These graphs & tables are to be used as a guide only in conjunction with the Autumn/Winter Pasture Planning Workshop materials. Every effort is made to ensure this information is accurate. All users who rely on this information do so at their own risk ©2025. All information produced by Southern Farming Systems is copyright and is not to be reproduced in any form or distributed to other persons without written permission.



|             | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Average 'X' | 16  | 3   | 6   | 15  | 24  | 21  | 19  | 35  | 64  | 85  | 82  | 54  |
| Highest     | 111 | 29  | 61  | 67  | 47  | 31  | 30  | 51  | 90  | 111 | 129 | 131 |
| Lowest      | 0   | 0   | 0   | 0   | 1   | 12  | 11  | 18  | 40  | 12  | 8   | 1   |
| Decile 2.5  | 2   | 0   | 0   | 3   | 15  | 18  | 15  | 30  | 56  | 80  | 63  | 30  |
| Median '-'  | 5   | 1   | 1   | 12  | 25  | 21  | 18  | 34  | 63  | 88  | 91  | 47  |
| Decile 7.5  | 28  | 3   | 6   | 23  | 31  | 25  | 23  | 39  | 72  | 100 | 111 | 74  |



This program received funding from the Australian Government's Future Drought Fund.